EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	709/220-223.ccls. and (address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	OR	ON	2006/06/09 09:14
L2	8	709/223-232.ccls. and (address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	OR	ON	2006/06/09 09:14
S1	15	"x.121" and ((stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:33
S2	11	"x.121" and ((stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table) and nam$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 09:04
S3	5	"x.121" and (nam$4 same (stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 08:46
S4	6	("x.121" and ((stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table) and nam$4) not ("x.121" and (nam$4 same (stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 09:04
S5	9	(address$4 and wildcard) and ((mac (media adj access adj control)) near10 address$4) and ((nam$4 address$4) same (stor$4 sav$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 09:49
S6	198	((mac (media adj access adj control)) near10 address$4) and ((((stor$4 sav$4) same (source near4 address$4))) same (table database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 11:56

S7	25	((mac (media adj access adj control)) near10 address$4) and (((((stor$4 sav$4) same (source near4 address$4))) same (table database)) and (database and (mib (management adj informaiotn adj base)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 13:03
S8	5	((mac (media adj access adj control)) near10 address$4) and (((((stor$4 sav$4) same (source near4 address$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address$4 near10 pool$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 13:37
S9	20	((mac (media adj access adj control)) near10 address$4) and (database and (mib (management adj informaiotn adj base))) and ((source adj4 address$4) same (stor$4 sav$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 14:20
S10	317	(address$4 near7 (portion$4 position$4 section$4)) and (first near6 (portion$4 position$4 section$4 part)) and (second near6 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near7 address$4 near7 (portion$4 position$4 section$4 part)) and ((sav$4 stor$4) near6 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/21 09:26
S11	4	((address$4 near7 (portion$4 position$4 section$4)) and (first near6 (portion$4 position$4 section$4 part)) and (second near6 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near7 address$4 near7 ((first second) near5 (portion$4 position$4 section$4 part))) and ((sav$4 stor$4) near6 address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/21 09:31
S12	121	((address$4 near11 (portion$4 position$4 section$4)) and (first near8 (portion$4 position$4 section$4 part)) and (second near8 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near9 address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/21 12:55

S13	140	((left right first second) same (portion$4 position$4 section$4 part) same (replac$4 substitu$6 exchang$5 (in adj place)) same (ip mac address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/21 13:21
S14	3	(address$4 near11 wildcard$4) same (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/21 14:53
S15	2	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5) and (wildcard$4 (wild adj card$4)) and ((ip mac) near5 address$4) and (rout$5 near11 (tabl$4 databas$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/21 15:42
S16	3	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5) and (wildcard$4 (wild adj card$4)) and ((ip mac) near5 address$4) and (select$7 same (wildcard$4 (wild adj card$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 14:00
S17	105	(address$4 near11 (wild-card$4 (wild$4 adj3 card$4) wildcard$4)) and (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 14:05
S18	21	((address$4 near11 (portion$4 position$4 section$4)) and (first near8 (portion$4 position$4 section$4 part)) and (second near8 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near9 address$4 near9 (portion$4 position$4 section$4 part)) and ((sav$4 stor$4) near8 address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 14:27
S19	49	(((dns (domain adj name adj (server system))) and ((stor$4 adj6 forward) store-and-forward$4)) and (rout$4 near7 table)) and (rout$4 near6 table) and (group$4 same address$4) and (dns (domain adj name adj (server system)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 14:28

EAST Search History

S20	6	((mac (media adj access adj control)) near10 address$4) and (database and (mib (management adj informaiotn adj base))) and (address$4 near10 pool$4) and ((stor$4 adj5 forward$4) same (table database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:04
S21	73	(address$4 near11 wildcard$4) and (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:04
S22	3	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5) and (wildcard$4 (wild adj card$4)) and ((ip mac) near5 address$4) and ((stor$4 sav$4) near11 address$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:04
S23	69	((dns (domain adj name adj (server system))) and ((stor$4 adj6 forward) store-and-forward$4)) and (rout$4 near7 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:05
S24	29	((mac (media adj access adj control)) near10 address$4) and (((((stor$4 sav$4) same (source near4 address$4))) same (table database)) and (database and (mib (management adj informaiotn adj base)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:06
S25	20	((mac (media adj access adj control)) near10 address$4) and (database and (mib (management adj informaiotn adj base))) and ((nam$4) same (stor$4 sav$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:06
S26	53	((left right first second) same (portion$4 position$4 section$4 part) same (replac$4 substitu$6 exchang$5 (in adj place)) near7 (ip mac address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:08
S27	44	((address$4 near11 (portion$4 position$4 section$4)) and (right near8 (portion$4 position$4 section$4 part)) and (left near8 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near9 address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:08

EAST Search History

S28	10	anycast$4 and (address$4 same (alter$6 wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	OR	ON	2004/02/10 15:55
S29	279	("ip6" "ipv6") and (address$4 same (alter$6 wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	OR	ON	2004/02/10 16:21
S30	142	("ip6" "ipv6") and (address$4 same (concat$4 concatenation prefix$4 rang$4))	USPAT	OR	ON	2004/02/10 16:21
S31	108	multicast$4 and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4) same (left right first second))	USPAT	OR	ON	2004/07/06 12:23
S32	16	(multicast$4 and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4) same (left right first second))) and (address$4 with substitu$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 11:49
S33	323	"709"/$.ccls. and (multi-cast$4 multicast$4) adj address$4	USPAT	OR	ON	2004/07/06 13:01
S34	33	("709"/$.ccls. and (multi-cast$4 multicast$4) adj address$4) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	OR	ON	2004/07/06 15:00
S35	24	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 14:59
S36	205	(address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	OR	ON	2004/07/06 15:01

S37	6	"709"/$.ccls. and (address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	OR	ON	2004/07/07 11:24
S38	161	"709"/$.ccls. and (address$4 with rang$4) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	OR	ON	2005/02/16 11:07
S39	17	"709"/$.ccls. and (address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	OR	ON	2005/02/16 11:05
S40	1	fuzzycast$4 and (address$4 same (alter$6 wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	OR	ON	2004/07/07 10:56
S41	50	"709"/$.ccls. and (address$4 near group) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	OR	ON	2004/07/07 11:29
S42	77	"709"/$.ccls. and (address$4 with (subnet$4 sub-net$4)) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	OR	ON	2005/02/16 11:04

EAST Search History

S43	63	("709"/$.ccls. and (address$4 with (subnet$4 sub-net$4)) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))) not ("709"/$.ccls. and (address$4 near group) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4)))	USPAT	OR	ON	2004/07/07 11:30
S44	16	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5) and (wildcard$4 (wild adj card$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/07 14:47
S49	1	713/150-163.ccls. and (address$4 with (subnet$4 sub-net$4)) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	OR	ON	2005/02/16 11:05
S50	6	709/223-232.ccls. and (address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	OR	ON	2005/02/16 11:10
S51	9	713/150-163.ccls. and (address$4 with rang$4) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	OR	ON	2005/02/16 11:07
S52	4	709/220-223.ccls. and (address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	OR	ON	2005/02/16 11:10

EAST Search History

S53	0	709/200.ccls. and (address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	OR	ON	2005/02/16 11:10
S54	101	nortel.as. and (character) and address$4 and group$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:46
S55	1	(ALLEN.in. CRUMP.in.) and nortel. as. and (character) and address$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:30
S56	5	("5940870" | "6006258" | "6141690" | "6243380" | "6262988").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 14:40
S57	0	S56 and (character) and address$4 and group$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:46
S58	2	S56 and (character group$4) and address$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:48
S59	2	S56 and (character group$4 cluster$4) and address$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:48
S60	11	713/150-163.ccls. and (address$4 with rang$4) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	OR	ON	2005/10/31 09:12
S61	4	709/220-223.ccls. and (address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	OR	ON	2005/10/31 09:12

S62		6	709/223-232.ccls. and (address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	OR	ON	2005/10/31 09:13
S63		5	("5692194" "5030948" "5832471" "5995971" "5926652").pn. and (wild$4 character) and address$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:36
S64		5	("5692194" "5030948" "5832471" "5995971" "5926652").pn. and (wild$6 character) and address$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:36
S65		2	"5926652".pn. and (character wild$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 18:35
S66		2	"5832471".pn. and (character wild$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 18:36
S67	.	2	"5995971".pn. and (character wild$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 15:23
S68		2	"5995971".pn. and (character wild$4) and address$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 15:23
S69		2	"5995971".pn. and ((character wild$4) same address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 16:24
S70		2	"5995971".pn. and rout$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 16:24